

BMSA

Pro IP Camera



BMSARL800

| | |
|--|---|
| | |
| | |
| | |
| | E |
| | |
| | A O |
| | A A A A O O E O |
| | I K |
| | I K |
| | tf |
| | v |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | C E |
| | |
| | K I I E I AKKI AKKI KI A I KI K I K I I I I g KI I I E KI I |
| | O |
| | I I |
| | I |
| | |
| | |
| | |

| | |
|---|-------------------------|
| | |
| | |
| | |
| | |
| | |
| | ggf fl g gtf E |
| | l g l v v g v v g v l v |
| | |
| | |
| | |
| | |
| | A |
| | |
| | |
| | |
| | |
| | |
| | v |
| | |
| | |
| | O E U |
| | |
| | |
| | |
| | E |
| | |
| | |
| | |
| | |
| | |
| | |
| | I |
| | |
| K | |
| | A E tf |
| | A E tf |
| | O |
| | tf A tf |
| | f |

Lengse

Technical Specifications

| | |
|-----------------------|----------------|
| Color | White |
| Operating Temperature | 200°C ~ 1600°C |
| Hardness | 9.5Mohs |
| Material | SiC |

Dimensions (mm)



